



ID IMAGES

LABELS REIMAGINED

Stock Product Guide

Experience the ID Images Difference

At ID Images, we provide label solutions. We focus on our customers' unique needs. We support our customers in every aspect of label sales, including label training, joint end-user sales calls and marketing assistance.

We provide the tools to help you grow your business.

Our Services:

- Multiple locations ensure quick economical delivery
- Small package stock orders placed by 2:00 pm EST ship the same day via UPS
- One case minimum order on stock products
- Large selection of stock products

Contact us:

Partner Support East

Toll-free: 866.516.7300

Email: PartnerSupportEast@idimages.com

Partner Support West

Toll-free: 833.461.2950


Email: PartnerSupportWest@idimages.com

Website: www.idimages.com



ID IMAGES

LABELS REIMAGINED



LABEL, TAG &
CONVERTER WITH

16

LOCATIONS

THROUGHOUT
NORTH AMERICA

DEDICATED

SALES FORCE
DELIVERY TOOLS,
TRAINING & SUPPORT

ISO 9001

2015 CERTIFIED

w: idimages.com

1120 W. 130th St., Brunswick, OH 44212



ID IMAGES
LABELS REIMAGINED

DIGITAL PRINTING

- Variable and Barcode Printing
- Short to Medium runs
- Quick Turnaround
- High Quality Printing
- Prime Label Applications
- Print on Virtually any Substrate

RETAIL LABELS

- Hot Foil Stamping
- Cold Foil Stamping
- Embossing
- Multi-layer Construction
- Day Glo Labels
- Holographic Labels

EXTENDED CONTENT LABELS

- IRC's
- Extended Content Labels
- Resealable Labels
- Folded Coupons
- Clean Release Labels

SPECIALTY LABELS

- Multi-layer
- Tickets
- Tire labels
- Heat-resistant
- Compostable labels
- Clamshell labels
- Promotional
- Resealable
- Linerless
- Scale labels (deli)
- Tamper-proof
- Tags
- Blockout

SHRINK SLEEVES

- Full-Body Prime Labels
- Tamper-evident
- Promotional Sleeves

PRODUCE LABELS (PLU) WAREHOUSE SOLUTIONS

Thermal Transfer - Standard Rolls

Item Number	Notes	W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per skid
TOP150100P1P38G		1.5	X	1	1	5500	14	77000	26#	48
TOP150100P2P38G		1.5	X	1	2	11000	6	66000	26#	48
TOP200100P1P38F		2	X	1	1	5500	8	44000	22#	60
TOP200100N1N38F	No Perf	2	X	1	1	5500	8	44000	22#	60
TOP200100P2P38F		2	X	1	2	11000	4	44000	22#	60
TOP200150P1S38F		2	X	1.5	1	3500	8	28000	21#	60
TOP200150P2S38F		2	X	1.5	2	7000	4	28000	22#	60
TOP200200P1P38F		2	X	2	1	3000	8	24000	23#	60
TOP200200P2P38F		2	X	2	2	6000	4	24000	23#	60
TOP300100P1P38G		3	X	1	1	5500	8	44000	35#	48
TOP300100N1N38G	No Perf	3	X	1	1	5500	8	44000	35#	48
TOP300200P1P38G		3	X	2	1	3000	8	24000	35#	48
TOP300200N1N38G	No Perf	3	X	2	1	3000	8	24000	35#	48
TOP300300P1P38G		3	X	3	1	2000	8	16000	36#	48
TOP300400P1P38G		3	X	4	1	1500	8	12000	33#	48
TOP300500P1P38G		3	X	5	1	1200	8	9600	34#	48
TOP300500N1N38G	No Perf	3	X	5	1	1200	8	9600	34#	48
TOP350100P1P38F		3.5	X	1	1	5500	4	22000	20#	60
TOP350800P1P38F		3.5	X	8	1	750	4	3000	20#	60
TOP400100P1P38F		4	X	1	1	5500	4	22000	22#	60
TOP400100N1N38F	No Perf	4	X	1	1	5500	4	22000	22#	60
TOP400150P1P38F		4	X	1.5	1	3500	4	14000	24#	60
TOP400200P1P38F		4	X	2	1	3000	4	12000	24#	60
TOP400200N1N38F	No Perf	4	X	2	1	3000	4	12000	24#	60
TOP400250P1P38F		4	X	2.5	1	2400	4	9600	24#	60
TOP400300P1P38F		4	X	3	1	2000	4	8000	24#	60
TOP400300N1N38F	No Perf	4	X	3	1	2000	4	8000	24#	60
TOP400400P1P38F		4	X	4	1	1500	4	6000	24#	60
TOP400400N1N38F	No Perf	4	X	4	1	1500	4	6000	24#	60
TOP400500P1P38F		4	X	5	1	1200	4	4800	24#	60
TOP400500N1N38F	No Perf	4	X	5	1	1200	4	4800	24#	60
TOP400600P1P38F		4	X	6	1	1000	4	4000	24#	60
TOP400600N1N38F	No Perf	4	X	6	1	1000	4	4000	24#	60
TOP400650P1P38F		4	X	6.5	1	1000	4	4000	25#	60
TOP400650N1N38F	No Perf	4	X	6.5	1	1000	4	4000	25#	60
TOP400800P1P38F		4	X	8	1	750	4	3000	23#	60
TOP400800N1N38F	No Perf	4	X	8	1	750	4	3000	23#	60
TOP401000P1X38F		4	X	10	1	700	4	2800	29#	60
TOP401200P1P38F		4	X	12	1	500	4	2000	23#	60
TOP401300P1P38F		4	X	13	1	500	4	2000	25#	60
TOP500400P1P38G		5	X	4	1	1500	4	6000	28#	48
TOP500300P1P38G		5	X	3	1	2000	4	8000	30#	48
TOP600400P1P38G		6	X	4	1	1500	4	6000	35#	48
TOP600800P1P38G		6	X	8	1	750	4	3000	30#	48

Thermal Transfer - Standard Fanfold

Item Number	Notes	W	X	L	Across	Labels / Stack	Stacks / Case	Labels / Case	Case Weight	Cases per skid
TOP400200F1G00B		4	X	2	1	6000	2	12000	23#	60
TOP400300F1G00B		4	X	3	1	4000	2	8000	23#	60
TOP400400F1F00S		4	X	4	1	2000	2	4000	23#	80
TOP400600F1G00B		4	X	6	1	2000	2	4000	23#	60
TOP400650F1F00S		4	X	6.5	1	2000	2	4000	25#	48
TOP400800F1F00X		4	X	8	1	1000	2	2000	15#	80
TOP600400F1F00A		6	X	4	1	3000	1	3000	17#	60

Thermal Transfer - PMS Floodcoated (Rolls)

Item Number	Color PMS	W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per skid
CYP400300P1P38F	Pantone	4	X	3	1	2000	4	8000	24#	60
CBP400300P1P38F	290	4	X	3	1	2000	4	8000	24#	60
CYP400600P1P38F	Pantone	4	X	6	1	1000	4	4000	24#	60
CLP400600P1P38F	100	4	X	6	1	1000	4	4000	24#	60
CBP400600P1P38F	290	4	X	6	1	1000	4	4000	24#	60
CGP400600P1P38F	345	4	X	6	1	1000	4	4000	24#	60
CPP400600P1P38F	1767	4	X	6	1	1000	4	4000	24#	60
COP400600P1P38F	1495	4	X	6	1	1000	4	4000	24#	60
CUP400600P1P38F	2635	4	X	6	1	1000	4	4000	24#	60
CTP400600P1P38F	726	4	X	6	1	1000	4	4000	24#	60
CRP400600P1P38F	185	4	X	6	1	1000	4	4000	24#	60

Thermal Transfer - Fluorescent Floodcoated (Rolls)

Item Number	Color PMS	W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per skid
FGP400300P1P38F	802	4	X	3	1	2000	4	8000	24#	60
FOP400300P1P38F	804	4	X	3	1	2000	4	8000	24#	60
FPP400300P1P38F	806	4	X	3	1	2000	4	8000	24#	60
FBP400600P1P38F	801	4	X	6	1	1000	4	4000	24#	60
FGP400600P1P38F	802	4	X	6	1	1000	4	4000	24#	60
FOP400600P1P38F	804	4	X	6	1	1000	4	4000	24#	60
FRP400600P1P38F	805	4	X	6	1	1000	4	4000	24#	60
FPP400600P1P38F	806	4	X	6	1	1000	4	4000	24#	60

Thermal Transfer - PMS Floodcoated (Fanfold)

Item Number	Color PMS	W	X	L	Across	Labels / Stack	Stacks / Case	Labels / Case	Case Weight	Cases per skid
CBP400600F1F00B	290	4	X	6	1	2000	2	4000	21#	60
CGP400600F1F00B	345	4	X	6	1	2000	2	4000	21#	60
COP400600F1F00B	1495	4	X	6	1	2000	2	4000	21#	60
CPP400600F1F00B	1767	4	X	6	1	2000	2	4000	21#	60
CYP400600F1F00B	Pantone	4	X	6	1	2000	2	4000	21#	60

Thermal Transfer - 1" Core

Item Number	Notes	W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per skid
TOP300100P1P14G	1" Core 4" OD	3	X	1	1	1375	32	44000	34#	48
TOP300200P1P14G	1" Core 4" OD	3	X	2	1	750	32	24000	34#	48
TOP300200P1X15S	1" Core 5" OD	3	X	2	1	1500	8	12000	20#	48
TOP400200P1P15S	1" Core 5" OD	4	X	2	1	1300	8	10400	20#	48
TOP400200P1P14F	1" Core 4" OD	4	X	2	1	750	16	12000	23#	60
TOP400300P1P14F	1" Core 4" OD	4	x	3	1	500	16	8000	24#	60
TOP400300P1X15S	1" Core 5" OD	4	X	3	1	1000	8	8000	24#	48
TOP400400P1P15S	1" Core 5" OD	4	X	4	1	750	8	6000	24#	48
TOP400600P1P14F	1" Core 4" OD	4	X	6	1	250	16	4000	24#	60

Thermal Transfer - Special

Item Number	Notes	W	X	L	Across	Labels / Stack	Stacks / Case	Labels / Case	Case Weight	Cases per skid
TOP400600N1S32J	12" OD NP	4	X	6	1	2500	2	5000	29#	48
TOP400600P1I38F	Wound In	4	X	6	1	1000	4	4000	24#	60
TOR400600P1P38F	Removable	4	X	6	1	1000	4	4000	24#	60



ID Images Ribbon Price List

Automated Packaging, Ink Side In

Ribbon PN	Ribbon Formulation	Ribbon W (inches)	Ribbon L (feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
AW400200P	P190 Premium Wax	4"	2001'	102	610	12	18

Datamax, Ink Side In

Ribbon PN	Ribbon Formulation	Ribbon W (inches)	Ribbon L (feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
DW2361181G	G170 Standard Wax	2.36"	1,181'	60	360	36	19
DW3001181G	G170 Standard Wax	3"	1,181'	76	360	36	21
DW3151181G*	G170 Standard Wax	3.15"	1,181'	80	360	36	22
DW3501181G*	G170 Standard Wax	3.5"	1,181'	89	360	24	19
DW4001181G	G170 Standard Wax	4"	1,181'	102	360	24	21
DW4171181G	G170 Standard Wax	4.17"	1,181'	106	360	24	22
DW4331181G	G170 Standard Wax	4.33"	1,181'	110	360	24	23
DW5121181G*	G170 Standard Wax	5.12"	1,181'	130	360	24	27
DW6501181G	G170 Standard Wax	6.5"	1,181'	165	360	12	17
DW2361181P*	P190 Premium Wax	2.36"	1,181'	60	360	36	19
DW3151181P*	P190 Premium Wax	3.15"	1,181'	80	360	36	22
DW3501181P*	P190 Premium Wax	3.5"	1,181'	89	360	24	19
DW4001181P	P190 Premium Wax	4"	1,181'	102	360	24	21
DW4331181P	P190 Premium Wax	4.33"	1,181'	110	360	24	23
DW5121181P*	P190 Premium Wax	5.12"	1,181'	130	360	24	27
DW6001181P*	P190 Premium Wax	6"	1,181'	152	360	12	16
DW6501181P	P190 Premium Wax	6.5"	1,181'	165	360	12	17
DW8661181P*	P190 Premium Wax	8.66"	1,181'	220	360	12	23
DWR4001181	WR200 Wax/Resin	4"	1,181'	102	360	24	24
DWR4331181	WR200 Wax/Resin	4.33"	1,181'	110	360	24	24
FDWR4001181	WR300 Premium Wax/Resin	4"	1,181'	102	360	24	24
FDR4001181	R390 Performance Resin	4"	1,181'	102	360	24	24
FDR4331181	R390 Performance Resin	4.33"	1,181'	110	360	24	25



ID Images Ribbon Price List

Intermec 3400, 8646, Ink Side Out							
Ribbon PN	Ribbon Formulation	Ribbon W (Inches)	Ribbon L (Feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
IW409509G	G170 Standard Wax	4.09	509	104	155	24	11
IW409509P	P190 Premium Wax	4.09	509	104	155	24	11
IWR409509	WR200 Wax/Resin	4.09	509	104	155	24	12
FIWR409509	WR300 Premium Wax/Resin	4.09	509	104	155	24	12

Intermec 4420, 4440, Ink Side Out							
Ribbon PN	Ribbon Formulation	Ribbon W (Inches)	Ribbon L (Feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
IW4171499G	G170 Standard Wax	4.17	1499	106	457	24	29
IW4171499P	P190 Premium Wax	4.17	1499	106	457	24	29

Monarch 9800 Series, Ink Side Out							
Ribbon PN	Ribbon Formulation	Ribbon W (Inches)	Ribbon L (Feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
MW4331969P	P190 Premium Wax	4.33	1969	110	600	12	21

Printronix, Ink Side Out							
Ribbon PN	Ribbon Formulation	Ribbon W (Inches)	Ribbon L (Feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
PW4332051G	G170 Standard Wax	4.33	2051	110	625	12	22
PW4332051P	P190 Premium Wax	4.33	2051	110	625	12	22
PW6502051P	P190 Premium Wax	6.5	2051	165	625	12	28



ID Images Ribbon Price List

Sato, Ink Side In							
Ribbon PN	Ribbon Formulation	Ribbon W (Inches)	Ribbon L (Feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
SW2361345G	G170 Standard Wax	2.36	1345	60	410	36	22
SW3001345G	G170 Standard Wax	3	1345	76	410	24	19
SW3151345G*	G170 Standard Wax	3.15	1345	80	410	24	20
SW3501345G	G170 Standard Wax	3.5	1345	89	410	24	22
SW4001345G	G170 Standard Wax	4	1345	102	410	24	24
SW4171345G	G170 Standard Wax	4.17	1345	106	410	24	25
SW4331345G	G170 Standard Wax	4.33	1345	110	410	24	26
SW5121345G*	G170 Standard Wax	5.12	1345	130	410	24	31
SW6001345G	G170 Standard Wax	6.5	1345	152	410	12	18
SW6501345G	G170 Standard Wax	2.36"	1345	165	410	12	20
SW2361345P*	P190 Premium Wax	3.15"	1345	60	410	36	22
SW3151345P	P190 Premium Wax	3.5"	1345	80	410	24	20
SW3501345P*	P190 Premium Wax	4"	1345	89	410	24	22
SW4001345P	P190 Premium Wax	4.33"	1345	102	410	24	24
SW4331345P	P190 Premium Wax	5.12"	1345	110	410	24	26
SW5121345P*	P190 Premium Wax	6"	1345	130	410	24	31
SW6501345P	P190 Premium Wax	6.5"	1345	165	410	12	20
SWR4331345	WR200 Wax/Resin	8.66"	1345	110	410	24	26
FSWR4331345	WR300 Premium Wax/Resin	4"	1345	110	410	24	26
FSR4331345	R390 Performance Resin	4.33"	1345	110	410	24	26



ID Images Ribbon Price List

Tec, Ink Side Out							
Ribbon PN	Ribbon Formulation	Ribbon W (Inches)	Ribbon L (Feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
FTNE3001969	WR250E Near Edge W/R	3	1969	76	600	24	24
FTNE4171969	WR250E Near Edge W/R	4.17	1969	106	600	12	19
FTNE5161969	WR250E Near Edge W/R	5.16	1969	131	600	12	23

Zebra, Ink Side Out							
Ribbon PN	Ribbon Formulation	Ribbon W (Inches)	Ribbon L (Feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
ZW315984G*	G170 Standard Wax	3.15	984	80	300	36	23
ZW400984G	G170 Standard Wax	4	984	102	300	24	18
ZW433984G	G170 Standard Wax	4.33	984	110	300	24	20
ZW512984G	G170 Standard Wax	5.12	984	130	300	24	25
ZW1571476G	G170 Standard Wax	1.57	1476	40	450	48	22
ZW2361476G	G170 Standard Wax	2.36	1476	60	Labels / Roll	Rolls/ Case	23
ZW3151476G	G170 Standard Wax	3.15	1476	80	450	24	22
1" Core 4" OD	3	X	2	1	750	32	24000
ZW3501476G*	G170 Standard Wax	3.5	1476	89	450	24	24
ZW4001476G	G170 Standard Wax	4	1476	102	450	24	26
ZW4171476G	G170 Standard Wax	4.17	1476	110	450	24	27
ZW4331476G	G170 Standard Wax	4.33	1476	110	450	24	28
ZW4331476G-6	G170 Standard Wax	4.33	1476	110	450	6	10
ZW5121476G	G170 Standard Wax	5.12	1476	130	450	24	33
ZW6501476G	G170 Standard Wax	6.5	1476	165	450	12	21
ZW6501476G-6	G170 Standard Wax	6.5	1476	165	450	6	11
ZW7241476G*	G170 Standard Wax	7.24	1476	184	450	12	20
ZW8661476G	G170 Standard Wax	8.66	1476	220	450	12	28
EW433243G	G170 Standard Wax 1/2" ID Core	4.33	243	110	74	36	10
ZW2361476P	P190 Premium Wax	2.36	1476	60	450	36	23
ZW3151476P	P190 Premium Wax	3.15	1476	80	450	24	22
ZW3271476P*	P190 Premium Wax	3.27	1476	83	450	24	22
ZW3501476P*	P190 Premium Wax	3.5	1476	89	450	24	24
ZW4001476P	P190 Premium Wax	4	1476	102	450	24	26
ZW4171476P	P190 Premium Wax	4.17	1476	106	450	24	27
ZW433984P	P190 Premium Wax	4.33	984	110	300	24	20



ID Images Ribbon Price List

Zebra, Ink Side Out							
Ribbon PN	Ribbon Formulation	Ribbon W (Inches)	Ribbon L (Feet)	Ribbon W (mm)	Ribbon L (m)	Rolls/Case	Case Weight
ZW4331476P-6*	P190 Premium Wax	4.33	1476	110	450	6	10
ZW5121476P	P190 Premium Wax	5.12	1476	130	450	24	33
ZW6001476P*	P190 Premium Wax	6	1476	152	450	12	20
ZW6501476P	P190 Premium Wax	6.5	1476	165	450	12	21
ZW6501476P-6	P190 Premium Wax	6.5	1476	165	450	6	11
ZW8661476P*	P190 Premium Wax	8.66	1476	220	450	12	28
EW433243P	P190 Premium Wax 1/2" ID Core	4.33	243	110	74	36	10
ZWR2361476*	WR200 Wax/Resin	2.36	1476	60	450	36	23
ZWR3151476	WR200 Wax/Resin	3.15	1476	80	450	24	21
ZWR3501476*	WR200 Wax/Resin	3.5	1476	89	450	24	23
ZWR433984	WR200 Wax/Resin	4.33	984	110	300	24	20
ZWR4331476	WR200 Wax/Resin	4.33	1476	110	450	24	28
ZWR5121476*	WR200 Wax/Resin	5.12	1476	130	450	24	32
FZWR3151476	WR300 Premium Wax/Resin	3.15	1476	80	450	24	21
FZWR3271476*	WR300 Premium Wax/Resin	3.27	1476	83	450	24	23
FZWR4001476	WR300 Premium Wax/Resin	4	1476	102	450	24	28
FZWR433984	WR300 Premium Wax/Resin	4.33	984	110	300	24	20
FZWR4331476	WR300 Premium Wax/Resin	4.33	1476	110	450	24	28
FZWR5121476	WR300 Premium Wax/Resin	5.12	1476	130	450	24	32
FZR2361476	R390 Performance Resin	2.36	1476	60	450	24	22
FZR3271476	R390 Performance Resin	3.27	1476	83	450	24	24
FZR433984	R390 Performance Resin	4.33	984	110	300	24	20
FZR4331476	R390 Performance Resin	4.33	1476	110	450	24	29
FZR6001476	R390 Performance Resin	6	1476	152	450	12	20

Direct Thermal - Standard Rolls (NTC)

Item Number		W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per Skid
DSP200100P1P38F		2	X	1	1	5500	8	44000	22#	60
DSP300100P1P38G		3	X	1	1	5500	8	44000	27#	48
DSP300200P1P38G		3	X	2	1	3000	8	24000	36#	48
DSP300500P1P38G		3	X	5	1	1200	8	9600	36#	48
DSP400200P1P38F		4	X	2	1	3000	4	12000	24#	60
DSP400250P1S38F		4	X	2.5	1	2500	4	10000	24#	60
DSP400300P1P38F		4	X	3	1	2000	4	8000	24#	60
DSP400400P1P38F		4	X	4	1	1500	4	6000	24#	60
DSP400600P1P38F		4	X	6	1	1000	4	4000	24#	60
DSP400600N1N38F	No Perf	4	X	6	1	1000	4	4000	24#	60
DSP400650P1P38F		4	X	6.5	1	1000	4	4000	26#	60
DSP400800P1P38F		4	X	8	1	750	4	3000	23#	60

Direct Thermal - Standard Fanfold (NTC)

Item Number		W	X	L	Across	Labels / Stacks	Stacks / Case	Labels / Case	Case Weight	Cases per Skid
DSP400200F1F00B		4	X	2	1	6000	2	12000	23#	60
DSP400300F1F00B		4	X	3	1	4000	2	8000	24#	60
DSP400400F1F00B		4	X	4	1	3000	2	6000	24#	60
DSP400600F1F00B		4	X	6	1	2000	2	4000	24#	60
DSP400800F1F00S		4	X	8	1	1000	2	2000	15#	80

Direct Thermal - Premium Rolls (TC / All Temp)

Item Number		W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per Skid
DOP400200P1P38F		4	X	2	1	3000	4	12000	24#	60
DOP400600P1P38F		4	X	6	1	1000	4	4000	24#	60
DOP400600N1N38F	No Perf	4	X	6	1	1000	4	4000	24#	60
DOP400650P1P38F		4	X	6.5	1	1000	4	4000	26#	60

Direct Thermal - Premium Fanfold (TC / All Temp)

Item Number		W	X	L	Across	Labels / Stack	Stacks / Case	Labels / Case	Case Weight	Cases per Skid
DOP400600F1F00B		4	X	6	1	2000	2	4000	24#	60

Direct Thermal - 3/4" Cores - Mobile Media (* black sensor mark on liner)

Item Number		W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per Skid
DSP31SNSRP1752X	.75" Core	3	x	1	1	650	36	23400	20#	45
DSP32SNSRP1752X	.75" Core	3	X	2	1	345	36	12420	18#	45
DSP42SNSRP1752X	.75" Core	4	X	2	1	300	36	10800	25#	60
DSP43SNSRP1752X	.75" Core	4	X	3	1	200	36	7200	25#	60
DSP46SNSRP1752X	.75" Core	4	X	6	1	105	36	3780	25#	60

Direct Thermal - 1" Cores - Mobile Media

Item Number		W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per Skid
DSP225125P1P14F	4" OD	2.25	X	1.25	1	1000	12	12000	11#	60
DSP300100P1P14S	4" OD	3	X	1	1	1500	16	24000	20#	48
DSP300200P1P14G	4" OD	3	X	2	1	750	32	24000	35#	48
DSP400200P1X14F	4" OD	4	X	2	1	750	16	12000	24#	60
DSP400300P1P14F	4" OD	4	X	3	1	500	16	8000	24#	60
DSP400400P1X15S	5" OD	4	X	4	1	750	8	6000	24#	48
DSP400600P1P14F	4" OD	4	X	6	1	250	16	4000	24#	60
DSP400600P1P15S	5" OD	4	X	6	1	475	8	3800	24#	48
DSP400650P1P14F	4" OD	4	X	6.5	1	250	16	4000	24#	60

Direct Thermal Linerless Labels

Item Number	Core size (inches)	W (inches)	L (feet)	Rolls per case	Adhesive	Cases per skid
DTL228X984HT	3	2.28	984	6	High-Tack	49
DTL157X228HT	1.57	2.28	213	36	High-Tack	33
DTL315X262R	1	3.15	262	18	Removable Pin Striped	44
DTL228X262RPS	1	2.28	262	36	Removable Pin Striped	33
DTL157X262RPS	1	1.57	262	36	Removable Pin Striped	44
DTL228X213GP	1.57	2.28	213	36	General Purpose	33
DTL401X85GP	0.75	4.01	85	30	General Purpose	55
DTL228X213R	1.57	2.28	213	36	Removable	33
DTL228X213AT	1.57	2.28	213	36	All Temp.	33

MTO - Thermal Transfer (PMS & Fluorescent Floodcoated)

Item Number	W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight
T"XXXX" 32P1P38MTO	3	X	2	1	3000	8	24000	35#
T"XXXX" 35P1P38MTO	3	X	5	1	1200	8	9600	34#
T"XXXX" 41P1P38MTO	4	X	1	1	5500	4	22000	22#
T"XXXX" 42P1P38MTO	4	X	2	1	3000	4	12000	24#
T"XXXX" 43P1P38MTO	4	X	3	1	2000	4	8000	24#
T"XXXX" 46P1P38MTO	4	X	6	1	1000	4	4000	24#
T"XXXX" 465P1P38MTO	4	X	6.5	1	1000	4	4000	25#
T"XXXX" 48P1P38MTO	4	X	8	1	750	4	3000	23#

MTO - Direct Thermal (PMS Floodcoated)

Item Number	W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight
D"XXXX" 32P1P38MTO	3	X	2	1	3000	8	24000	35#
D"XXXX" 35P1P38MTO	3	X	5	1	1200	8	9600	34#
D"XXXX" 41P1P38MTO	4	X	1	1	5500	4	22000	22#
D"XXXX" 42P1P38MTO	4	X	2	1	3000	4	12000	24#
D"XXXX" 43P1P38MTO	4	X	3	1	2000	4	8000	24#
D"XXXX" 46P1P38MTO	4	X	6	1	1000	4	4000	24#
D"XXXX" 465P1P38MTO	4	X	6.5	1	1000	4	4000	25#
D"XXXX" 48P1P38MTO	4	X	8	1	750	4	3000	23#

- 1 case minimum
- All "MTO" products ship from our Greeneville, TN location
- Does not include metallic inks or 2x ink strike
- Without a perforation between labels at same price
- 1" core on RCR = 25% upcharge
- Fanfold = 25% upcharge
- For a list of our standard PMS colors, visit our website


Laser Sheets (*matrix not removed*)

Item Number	Template	Label Size W x L (in)	Sheet Size	Labels / Sheet	Labels / Case	Case Weight
LB150100	Microsoft® Word™	1.5 x 1.0	8.5 x 11	50	50000	25#
LB175050	Avery® 5167	1.75 x 0.5	8.5 x 11	80	80000	25#
LB2625100	Avery® 5160	2.625 x 1.0	8.5 x 11	30	30000	25#
LB400100	Avery® 5161	4.0 x 1.0	8.5 x 11	20	20000	25#
LB400133	Avery® 5162	4.0 x 1.33	8.5 x 11	14	14000	25#
LB400200	Avery® 5163	4.0 x 2.0	8.5 x 11	10	10000	25#
LB400333	Avery® 5164	4.0 x 3.33	8.5 x 11	6	6000	25#
LB425275	Microsoft® Word™	4.25 x 2.75	8.5 x 11	8	8000	25#
LB425550	Microsoft® Word™	4.25 x 5.5	8.5 x 11	4	4000	25#
LB850366	Microsoft® Word™	8.5 x 3.66	8.5 x 11	3	3000	25#
LB850550	Avery® 5126	8.5 x 5.5	8.5 x 11	2	2000	25#
LB8501100	Avery® 5165	8.5 x 11.0	8.5 x 11	1	1000	25#
LB425700	Microsoft® Word™	4.25 x 7.0	8.5 x 14	4	4000	30#
LB400600	Microsoft® Word™	4.0 x 6.0	8.5 x 14	4	4000	30#

Blank laser sheets are constructed with a 50 lb premium bright white face and 50 lb liner with a permanent adhesive.






Laser products are packaged in 4 - 250 sheet packs with 1,000 sheets per case.

Dayglo products above include your choice of Orange, Red, Green, Chartreuse or Pink.



Integrated Labels

Item Number	W	X	L	Across	Labels / Case	Case Weight				Cases per skid
IL350275B	3.5	X	2.75	2	3000	23#				48
IL400250A	4	X	2.5	1	1500	23#				48
IL400250B	4	X	2.5	2	3000	23#				48
IL400600A	4	X	6	1	1500	27#				48
IL600400A	6	X	4	1	1500	25#				48
IL7505125A	7.5	X	5.1	1	1500	26#				48



Markets Served

- Transportation & Logistics
- Fulfillment Houses
- 3PL
- Healthcare

Applications Served

- Pick/Pack Lists
- Return Merchandise
- Warehousing/Inventory Control
- Prescriptions
- Return Address Labels

Need a Custom Integrated Label?

We can create and manufacture a custom integrated label to meet your customer's exact requirements.

BS 5609 Materials for GHS

Item Number		W	X	L	Across	Labels / Roll or Stack	Rolls / Case	Labels / Case	Case Weight	Cases per skid
INKJET 5 mil White Matte Film, Permanent Adhesive										
GHSI 85014F1	Pinfeed Fanfold @14"	8.5	X	13.875	1	1000	1	1000	42#	48
Thermal Transfer 2 mil White Polyester, Permanent Adhesive, Perforated between labels										
PHT4X6P1P38G		4	X	6	1	1000	4	4000	28#	48

UL-Certified Labels *2 mil white gloss polyester. Thermal transfer printable. Requires high performance ribbon.*

Item Number		W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per skid
IDIM10121P1P37S		2	X	1	1	5000	1	5000	3#	80
IDIM10131P1P37S		3	X	1	1	5000	1	5000	5#	80

Polypropylene Rolls *Thermal transfer printable film for durability and outside UV resistance. Matte finish.*

Item Number		W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per skid
TPP400600P1P38F		4	X	6	1	1000	4	4000	25#	60

Thermal Transfer Tag *These tags are double notched at the perf for sensing - 7.5 mil C1S.*

Item Number		W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per skid
TAG400600P1P38F		4	x	6	1	800	4	3200	25#	60

Thermal Transfer PolarBond Freezer *Premium all temperature, rubber based adhesive.*

Item Number		W	X	L	Across	Labels / Roll	Rolls / Case	Labels / Case	Case Weight	Cases per skid
PBTT400600P1P38F		4	X	6	1	1000	4	4000	24#	60
PBDT400600P1P38F		4	X	6	1	1000	4	4000	24#	60

Inkjet - Premium Matte Paper

Item Number	Core / OD	W x L	Adhesive Type	Across	Labels/ Roll or Stack	Rolls or Stacks/ Case	Labels/ Case	Case Weight	Cases per skid
IJMP300500P1P38G	3" / 8"	3" x 5"	All Temp	1	1000	8	8000	33	48
IJMP400200P1P38F	3" / 8"	4" x 2"	All Temp	1	2500	4	10000	22	60
IJMP400600P1P38F	3" / 8"	4" x 6"	All Temp	1	850	4	3400	22	60
IJMP400600P1P24G	2" / 4"	4" x 6"	All Temp	1	175	16	2800	24	48

Inkjet - High Gloss Paper

Item Number	Core / OD	W x L	Adhesive Type	Across	Labels/ Roll or Stack	Rolls or Stacks/ Case	Labels/ Case	Case Weight	Cases per skid
IJHGP400200P1P24F	2" / 4"	4" x 2"	All Temp	1	500	16	8000	24	60
IJHGP400600P1P38F	3" / 8"	4" x 6"	All Temp	1	850	4	3400	24	60

3.5 Mil Matte Synthetic (GHS/BS5609)

Item Number	Core / OD	W x L	Adhesive Type	Across	Labels/ Roll or Stack	Rolls or Stacks/ Case	Labels/ Case	Case Weight	Cases per skid
IJMS400600P1P38F	3" / 8"	4" x 6"	All Temp	1	850	4	3400	22	60

MTO Inkjet - Premium Matte Paper

Item Number	Core / OD	W x L	Adhesive Type	Across	Labels/ Roll or Stack	Rolls or Stacks/ Case	Labels/ Case	Case Weight
IJMP3X3P1P38GMTO	3" / 8"	3" x 3"	All Temp	1	2000	8	16000	24
IJMP4X4P1P38FMTO	3" / 8"	4" x 4"	All Temp	1	1200	8	9600	24
IJMP4X8P1P38FMTO	3" / 8"	4" x 8"	All Temp	1	600	4	2400	24
IJMP3X5P1P24GMTO	2" / 4"	3" x 5"	All Temp	1	200	32	6400	24
IJMP4X2P1P24GMTO	2" / 4"	4" x 2"	All Temp	1	500	16	8000	24
IJMP4X4P1P24GMTO	2" / 4"	4" x 4"	All Temp	1	250	16	4000	24
IJMP4X8P1P24GMTO	2" / 4"	4" x 8"	All Temp	1	125	16	2000	24

MTO Inkjet - High Gloss Paper


Item Number	Core / OD	W x L	Adhesive Type	Across	Labels/ Roll or Stack	Rolls or Stacks/ Case	Labels/ Case	Case Weight
IJHGP3X3P1P38GMTO	3" / 8"	3" x 3"	All Temp	1	1700	8	13600	24
IJHGP4X4P1P38FMTO	3" / 8"	4" x 4"	All Temp	1	1200	8	9600	24
IJHGP4X8P1P38FMTO	3" / 8"	4" x 8"	All Temp	1	600	4	2400	24
IJHGP4X4P1P24FMTO	2" / 4"	4" x 4"	All Temp	1	250	16	4000	24
IJHGP4X6P1P24FMTO	2" / 4"	4" x 6"	All Temp	1	175	16	2800	24
IJHGP4X8P1P24FMTO	2" / 4"	4" x 8"	All Temp	1	125	16	2000	24

MTO Inkjet - 3.5 Mil Matte Synthetic (GHS/BS5609)









Item Number	Core / OD	W x L	Adhesive Type	Across	Labels/ Roll or Stack	Rolls or Stacks/ Case	Labels/ Case	Case Weight
IJMS3X5P1P38GMTO	3" / 8"	3" x 5"	All Temp	1	1000	8	8000	24
IJMS4X2P1P38FMTO	3" / 8"	4" x 2"	All Temp	1	2500	4	10000	24
IJMS4X4P1P38FMTO	3" / 8"	4" x 4"	All Temp	1	1200	8	9600	24
IJMS4X8P1P38FMTO	3" / 8"	4" x 8"	All Temp	1	600	4	2400	24
IJMS3X5P1P24GMTO	2" / 4"	3" x 5"	All Temp	1	200	32	6400	24
IJMS4X2P1P24GMTO	2" / 4"	4" x 2"	All Temp	1	500	16	8000	24
IJMS4X4P1P24GMTO	2" / 4"	4" x 4"	All Temp	1	250	16	4000	24
IJMS4X6P1P24GMTO	2" / 4"	4" x 6"	All Temp	1	175	16	2800	24
IJMS4X8P1P24GMTO	2" / 4"	4" x 8"	All Temp	1	125	16	2000	24

General Specifications for Roll Labels

- 1/8" Gap between labels 3" Cores
- 8" Outer diameter
- Approximately 500' per roll
- General purpose permanent adhesive
- Labels are perforated between each label
- Rolls are wound out
- All NON-PERF STOCK items are die cut for auto-apply applications



REWIND FINISHED ROLL CHART

- | | | | |
|---|--|--|--|
| <p>1. </p> <p>Labels on outside of roll.
Copy printed across the roll.
Top of copy coming off roll first.</p> | <p>2. </p> <p>Labels on outside of roll.
Copy printed across the roll.
Bottom of copy coming off roll first.</p> | <p>3. </p> <p>Labels on outside of roll.
Copy printed with the roll.
Right-hand side of copy coming off roll first.</p> | <p>4. </p> <p>Labels on outside of roll.
Copy printed with the roll.
Left-hand side of copy coming off roll first.</p> |
| <p>5. </p> <p>Labels on inside of roll.
Copy printed across the roll.
Top copy coming off roll first.</p> | <p>6. </p> <p>Labels on inside of roll.
Copy printed across the roll.
Bottom of copy coming off roll first.</p> | <p>7. </p> <p>Labels on inside of roll.
Copy printed with the roll.
Right-hand side of copy coming off roll first.</p> | <p>8. </p> <p>Labels on inside of roll.
Copy printed with the roll.
Left-hand side of copy coming off roll first.</p> |


LABEL MEASUREMENTS

AC- Across the web measurements of label

AR- Along the web measurement of the label

GAP- Distance between labels (1/8" is min. for machine application)

REPEAT- Measurement from the edge of one label to the edge of the next label along the web.





TERMS & CONDITIONS

Quotations:

All quotes are valid for 30 days. When ordering from a quote, please reference quote number. Send your Request for Quote to RFQ@idimages.com.

Sample Rolls, Stacks and Sheets:

Samples for stock items are available at no charge for product and freight. Standard samples will ship via standard ground. Any samples requiring non-standard ground will be billed to the distributor or end user account number.

Placing Orders:

Custom orders are subject to a +/- 10% variance. Any small package stock orders requested to ship same day must be received no later than 2:00 pm EST. Submission of orders infers that product has been tested and accepted in actual end-user environment.

Cancelling Orders:

Please confirm the ability to cancel an order with your CSR first. Stock orders ship within 24 hours. Custom orders will be charged any expense incurred by ID Images..

Invoicing & Terms:

For invoice discrepancies, contact I.D. Images immediately. Do not adjust invoice without prior approval from I.D. Images. Claims for billing discrepancies or pricing errors must be made within 15 working days of invoice. Terms: 1% 15 net 30 from invoice date. We accept Visa, MasterCard, American Express, and ACH payments. No discounted terms with pre-pay or credit card.

Shipping:

All products will ship via our carrier unless otherwise noted on your purchase order.

Return Authorization:

Returns must be authorized prior to returning the goods. There will be no credit issued without prior approval. The RA# must be listed on the packing slip or the shipment will be refused. A 20% restocking fee will apply on stock items. ID Images reserves the right to deny credit on returned goods damaged due to improper packaging. No returns on custom product unless there is a quality issue taken up with our Customer Satisfaction Team at customersatisfaction@idimages.com and an RA# is issued. RA numbers are only good for 30 days. **No returns accepted after 90 days from purchase.**

For questions regarding our policies, please contact your Customer Service Representative:

Partner Support East

Toll-free: 866.516.7300

Email: PartnerSupportEast@idimages.com

Partner Support West

Toll-free: 833.461.2950

Email: PartnerSupportWest@idimages.com